

Lampiran Hasil Output Smartpls

Validitas

	Cronbach's Alpha	rho_A	Composite Reliability	Average Variance Extracted (AVE)
BI	0.813	0.828	0.890	0.730
EE	0.710	0.722	0.838	0.633
FC	0.753	0.765	0.889	0.801
FE	0.878	0.892	0.905	0.578
SI	0.711	0.789	0.869	0.770
UB	0.837	0.839	0.902	0.755

Reliabilitas

	Cronbach's Alpha	rho_A	Composite Reliability	Average Variance Extracted (AVE)
BI	0.813	0.828	0.890	0.730
EE	0.710	0.722	0.838	0.633
FC	0.753	0.765	0.889	0.801
FE	0.878	0.892	0.905	0.578
SI	0.711	0.789	0.869	0.770
UB	0.837	0.839	0.902	0.755

Convergent validity / outer loading

	BI	EE	FC	FE	SI	UB
X1.1				0.789		
X1.2				0.797		
X1.3				0.609		
X1.4				0.715		
X1.5				0.815		
X1.6				0.803		
X1.7				0.770		
X2.1		0.845				
X2.2		0.724				
X2.3		0.812				
X3.1					0.926	
X3.2					0.826	
X4.1				0.912		
X4.2				0.878		
Y1.1	0.763					
Y1.2	0.895					
Y1.3	0.899					
Y2.1						0.892
Y2.2						0.849
Y2.3						0.864

Discriminant Validity/ cross loading

	BI	EE	FC	FE	SI	UB
X1.1	0.451	0.467	0.605	0.789	0.322	0.463
X1.2	0.403	0.466	0.541	0.797	0.317	0.390
X1.3	0.217	0.407	0.268	0.609	0.416	0.329
X1.4	0.330	0.340	0.326	0.715	0.278	0.220
X1.5	0.448	0.486	0.524	0.815	0.294	0.416
X1.6	0.423	0.616	0.551	0.803	0.412	0.439
X1.7	0.412	0.657	0.607	0.770	0.375	0.513
X2.1	0.424	0.845	0.490	0.495	0.328	0.507
X2.2	0.389	0.724	0.338	0.323	0.317	0.563
X2.3	0.507	0.812	0.579	0.691	0.411	0.481
X3.1	0.333	0.466	0.328	0.479	0.926	0.371
X3.2	0.224	0.292	0.261	0.263	0.826	0.410
X4.1	0.542	0.585	0.912	0.651	0.361	0.687
X4.2	0.514	0.486	0.878	0.531	0.238	0.589
Y1.1	0.763	0.462	0.499	0.445	0.200	0.463
Y1.2	0.895	0.502	0.525	0.479	0.314	0.615
Y1.3	0.899	0.472	0.493	0.410	0.312	0.658
Y2.1	0.614	0.535	0.636	0.458	0.377	0.892
Y2.2	0.493	0.588	0.657	0.459	0.450	0.849
Y2.3	0.667	0.559	0.575	0.462	0.316	0.864

Koefisien determinasi/ R²

	R Square	R Square Adjusted
BI	0.356	0.335
UB	0.617	0.609

T-STATISTIC

	Original Sample (O)	Sample Mean (M)	Standard Deviation (STDEV)	T Statistics (O/STDEV)	P Values
BI -> UB					
EE -> BI					
EE -> UB	0.149	0.151	0.054	2.777	0.006
FC -> UB					
FE -> BI					
FE -> UB	0.102	0.097	0.046	2.215	0.027
SI -> BI					
SI -> UB	0.019	0.023	0.046	0.414	0.679

HASIL OUTPUT SMARTPLS DIAGRAM JALUR

