

LAMPIRAN

Uji Validitas X1

		Correlations				
		X1	X2	X3	X4	TOTAL
X1	Pearson Correlation	1	.147	.290**	.425**	.702**
	Sig. (2-tailed)		.156	.004	.000	.000
	N	95	95	95	95	95
X2	Pearson Correlation	.147	1	.004	.233*	.579**
	Sig. (2-tailed)	.156		.968	.023	.000
	N	95	95	95	95	95
X3	Pearson Correlation	.290**	.004	1	.245*	.545**
	Sig. (2-tailed)	.004	.968		.017	.000
	N	95	95	95	95	95
X4	Pearson Correlation	.425**	.233*	.245*	1	.753**
	Sig. (2-tailed)	.000	.023	.017		.000
	N	95	95	95	95	95
TOTAL	Pearson Correlation	.702**	.579**	.545**	.753**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	95	95	95	95	95

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Uji Validitas X2

Correlations

		X2.1	X2.2	X2.3	X2.4	X2.5	X2.6	TOTAL
X2.1	Pearson Correlation	1	.378**	.547**	.187	.340**	.305**	.663**
	Sig. (2-tailed)		.000	.000	.070	.001	.003	.000
	N	95	95	95	95	95	95	95
X2.2	Pearson Correlation	.378**	1	.465**	.391**	.433**	.375**	.714**
	Sig. (2-tailed)	.000		.000	.000	.000	.000	.000
	N	95	95	95	95	95	95	95
X2.3	Pearson Correlation	.547**	.465**	1	.339**	.368**	.465**	.776**
	Sig. (2-tailed)	.000	.000		.001	.000	.000	.000
	N	95	95	95	95	95	95	95
X2.4	Pearson Correlation	.187	.391**	.339**	1	.298**	.436**	.631**
	Sig. (2-tailed)	.070	.000	.001		.003	.000	.000
	N	95	95	95	95	95	95	95
X2.5	Pearson Correlation	.340**	.433**	.368**	.298**	1	.191	.664**
	Sig. (2-tailed)	.001	.000	.000	.003		.063	.000
	N	95	95	95	95	95	95	95
X2.6	Pearson Correlation	.305**	.375**	.465**	.436**	.191	1	.673**
	Sig. (2-tailed)	.003	.000	.000	.000	.063		.000
	N	95	95	95	95	95	95	95
TOTAL	Pearson Correlation	.663**	.714**	.776**	.631**	.664**	.673**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	
	N	95	95	95	95	95	95	95

** . Correlation is significant at the 0.01 level (2-tailed).

Uji Validitas Y

Correlations

		Y1	Y2	Y3	Y4	Y5	Y6	Y7	TOTAL
Y1	Pearson Correlation	1	.522**	.511**	.522**	-.063	.425**	.418**	.768**
	Sig. (2-tailed)		.000	.000	.000	.545	.000	.000	.000
	N	95	95	95	95	95	95	95	95
Y2	Pearson Correlation	.522**	1	.465**	.525**	-.016	.402**	.399**	.785**
	Sig. (2-tailed)	.000		.000	.000	.876	.000	.000	.000
	N	95	95	95	95	95	95	95	95
Y3	Pearson Correlation	.511**	.465**	1	.559**	-.003	.427**	.503**	.777**
	Sig. (2-tailed)	.000	.000		.000	.975	.000	.000	.000
	N	95	95	95	95	95	95	95	95
Y4	Pearson Correlation	.522**	.525**	.559**	1	-.152	.477**	.450**	.768**
	Sig. (2-tailed)	.000	.000	.000		.142	.000	.000	.000
	N	95	95	95	95	95	95	95	95
Y5	Pearson Correlation	-.063	-.016	-.003	-.152	1	-.043	.034	.172
	Sig. (2-tailed)	.545	.876	.975	.142		.680	.743	.095
	N	95	95	95	95	95	95	95	95
Y6	Pearson Correlation	.425**	.402**	.427**	.477**	-.043	1	.450**	.524**
	Sig. (2-tailed)	.000	.000	.000	.000	.680		.000	.000
	N	95	95	95	95	95	95	95	95
Y7	Pearson Correlation	.418**	.399**	.503**	.450**	.034	.450**	1	.555**
	Sig. (2-tailed)	.000	.000	.000	.000	.743	.000		.000
	N	95	95	95	95	95	95	95	95
TOTAL	Pearson Correlation	.768**	.785**	.777**	.768**	.172	.524**	.555**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.095	.000	.000	
	N	95	95	95	95	95	95	95	95

** . Correlation is significant at the 0.01 level (2-tailed).

RELIABILITY

Uji Reliability XI

Reliability Statistics

Cronbach's Alpha	N of Items
.607	4

Uji Reliability X2

Reliability Statistics

Cronbach's Alpha	N of Items
.770	6

Uji Reliability Y

Reliability Statistics

Cronbach's Alpha	N of Items
.827	7

Uji NORMALITAS

One-Sample Kolmogorov-Smirnov Test

		X1	X2	Y
N		95	95	95
Normal Parameters ^{a,b}	Mean	11.8774	20.9838	17.3319
	Std. Deviation	2.31402	3.75819	2.89662
Most Extreme Differences	Absolute	.106	.156	.121
	Positive	.076	.080	.086
	Negative	-.106	-.156	-.121
Test Statistic		.106	.156	.121
Asymp. Sig. (2-tailed)		.010 ^c	.000 ^c	.002 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.


Uji MULTIKOLINEARITAS

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	6.103	1.401		4.357	.000		
	X1	.426	.125	.340	3.403	.001	.633	1.581
	X2	.294	.077	.382	3.818	.000	.633	1.581

a. Dependent Variable: Y

UJI HETEROSKEDASTISITAS



UJI AUTO KORELASI

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.647 ^a	.419	.406	2.23242	1.968

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Y

UJI KORELASI PEARSON

Correlations

		X1	X2	Y
X1	Pearson Correlation	1	.606**	.571**
	Sig. (2-tailed)		.000	.000
	N	95	95	95
X2	Pearson Correlation	.606**	1	.588**
	Sig. (2-tailed)	.000		.000
	N	95	95	95
Y	Pearson Correlation	.571**	.588**	1
	Sig. (2-tailed)	.000	.000	
	N	95	95	95

** . Correlation is significant at the 0.01 level (2-tailed).

UJI ANALIS REG.LINIER BERGANDA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	6.103	1.401		4.357	.000		
	X1	.426	.125	.340	3.403	.001	.633	1.581
	X2	.294	.077	.382	3.818	.000	.633	1.581

a. Dependent Variable: Y

UJI KOEFISIEN DETERMINASI

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.647 ^a	.419	.406	2.23242	1.968

a. Predictors: (Constant), X2, X1

b. Dependent Variable: Y

UJI SIMULTAN (UJI F)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	330.194	2	165.097	33.127	.000 ^b
	Residual	458.502	92	4.984		
	Total	788.697	94			

a. Dependent Variable: Y

b. Predictors: (Constant), X2, X1

UJI PARSIAL (UJI T)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	6.103	1.401		4.357	.000		
	X1	.426	.125	.340	3.403	.001	.633	1.581
	X2	.294	.077	.382	3.818	.000	.633	1.581

a. Dependent Variable: Y