

## LAMPIRAN

X1.1	X1.2	X1.3	X1.4	TO TA LX 1	X2.1	X2.2	X2.3	X2.4	X2.5	X2.6	X2.7	TO TA LX 2	Y1	Y2	Y3	Y4	Y5	TO TA LY
3	3	3	3	12	3	3	3	3	3	3	4	22	3	3	3	3	4	16
3	4	3	3	13	3	3	4	4	4	4	4	26	3	3	4	4	3	17
3	4	3	3	13	3	3	3	3	4	4	4	24	3	3	3	3	5	17
5	4	1	4	14	4	5	5	5	5	5	4	33	4	4	5	4	4	21
4	4	3	3	14	3	4	4	3	5	4	4	27	3	4	3	3	5	18
3	3	3	3	12	3	3	3	3	3	3	4	22	3	3	3	3	4	16
4	2	3	2	11	2	1	2	3	2	1	5	16	2	1	2	2	5	12
4	4	4	1	13	5	4	5	4	4	4	5	31	4	4	4	4	5	21
4	2	3	4	13	2	2	2	2	2	1	5	16	3	3	2	2	5	15
2	2	2	2	8	2	2	3	1	2	4	5	19	2	2	2	2	5	13
4	4	4	4	16	4	4	4	4	4	4	5	29	4	4	4	4	5	21
2	2	2	2	8	3	2	3	2	2	1	4	17	2	2	2	2	3	11
4	4	4	4	16	4	4	4	4	4	4	4	28	4	4	4	4	3	19
2	3	2	4	11	2	3	1	2	1	2	4	15	3	1	2	1	3	10
4	4	4	2	14	4	4	4	4	4	5	4	29	4	4	4	4	3	19
4	4	4	1	13	5	4	5	4	4	4	5	31	4	4	4	4	5	21
4	2	3	4	13	2	2	2	2	2	1	5	16	3	3	2	2	5	15
2	2	2	2	8	2	2	3	1	2	4	5	19	2	2	2	2	5	13
4	4	4	4	16	4	4	4	4	4	4	5	29	4	4	4	4	5	21
2	2	2	4	10	3	2	3	2	2	1	4	17	2	2	2	2	4	12
4	4	4	2	14	4	4	4	4	4	4	5	29	4	4	4	4	5	21
4	4	4	4	16	4	4	4	4	4	4	4	28	4	4	4	4	4	20
2	3	2	4	11	2	3	1	2	1	2	5	16	3	1	2	1	5	12
4	4	4	2	14	4	4	4	4	4	5	5	30	4	4	4	4	5	21
4	4	4	1	13	5	4	5	4	4	4	5	31	4	4	4	4	5	21
4	2	3	4	13	2	2	2	2	2	1	4	15	3	3	2	2	5	15
2	2	2	2	8	2	2	3	1	2	4	5	19	2	2	2	2	5	13
4	4	4	4	16	4	4	4	4	4	4	5	29	4	4	4	4	5	21
2	2	2	4	10	3	2	3	2	2	1	4	17	2	2	2	2	5	13
4	4	4	2	14	4	4	4	4	4	4	5	29	4	4	4	4	5	21
3	3	3	3	12	3	3	3	3	3	3	3	21	3	3	3	3	3	15
3	4	3	3	13	3	3	4	4	4	4	4	26	3	3	4	4	2	16
3	4	3	3	13	3	3	3	3	4	4	2	22	3	3	3	3	4	16
5	4	1	4	14	4	5	5	5	5	5	1	30	4	4	5	4	2	19
4	4	3	3	14	3	4	4	3	5	4	4	27	3	4	3	3	2	15

Successive Interval				TotalX1
3.00	3.00	3.00	3.00	12.00
2.87	2.82	2.93	2.75	11.38
2.87	3.88	2.93	2.75	12.44
2.87	3.88	2.93	2.75	12.44
5.33	3.88	1.00	3.79	14.00
3.86	3.88	2.93	2.75	13.43
2.87	2.82	2.93	2.75	11.38
3.86	2.00	2.93	2.01	10.80
3.86	3.88	4.08	1.00	12.82
3.86	2.00	2.93	3.79	12.59
2.00	2.00	2.02	2.01	8.03
3.86	3.88	4.08	3.79	15.61
2.00	2.00	2.02	2.01	8.03
3.86	3.88	4.08	3.79	15.61
2.00	2.82	2.02	3.79	10.63
3.86	3.88	4.08	2.01	13.83
3.86	3.88	4.08	1.00	12.82
3.86	2.00	2.93	3.79	12.59
2.00	2.00	2.02	2.01	8.03
3.86	3.88	4.08	3.79	15.61
2.00	2.00	2.02	3.79	9.81
3.86	3.88	4.08	2.01	13.83
3.86	3.88	4.08	3.79	15.61
2.00	2.82	2.02	3.79	10.63
3.86	3.88	4.08	2.01	13.83
3.86	3.88	4.08	1.00	12.82
3.86	2.00	2.93	3.79	12.59
2.00	2.00	2.02	2.01	8.03
3.86	3.88	4.08	3.79	15.61
2.00	2.00	2.02	3.79	9.81
3.86	3.88	4.08	2.01	13.83
2.87	2.82	2.93	2.75	11.38
2.87	3.88	2.93	2.75	12.44
2.87	3.88	2.93	2.75	12.44
5.33	3.88	1.00	3.79	14.00
3.86	3.88	2.93	2.75	13.43

Successive Interval							TotalX2
3.00	3.00	3.00	3.00	3.00	3.00	4.00	22.00
3.07	3.07	2.55	2.64	2.72	1.87	2.76	18.68
3.07	3.07	3.47	3.53	3.44	2.72	2.76	22.06
3.07	3.07	2.55	2.64	3.44	2.72	2.76	20.25
3.99	5.29	4.59	4.83	4.70	4.09	2.76	30.25
3.07	3.99	3.47	2.64	4.70	2.72	2.76	23.36
3.07	3.07	2.55	2.64	2.72	1.87	2.76	18.68
2.00	1.00	1.78	2.64	2.12	1.00	4.15	14.70
5.08	3.99	4.59	3.53	3.44	2.72	4.15	27.51
2.00	2.22	1.78	1.96	2.12	1.00	4.15	15.24
2.00	2.22	2.55	1.00	2.12	2.72	4.15	16.76
3.99	3.99	3.47	3.53	3.44	2.72	4.15	25.30
3.07	2.22	2.55	1.96	2.12	1.00	2.76	15.68
3.99	3.99	3.47	3.53	3.44	2.72	2.76	23.91
2.00	3.07	1.00	1.96	1.00	1.66	2.76	13.44
3.99	3.99	3.47	3.53	3.44	4.09	2.76	25.28
5.08	3.99	4.59	3.53	3.44	2.72	4.15	27.51
2.00	2.22	1.78	1.96	2.12	1.00	4.15	15.24
2.00	2.22	2.55	1.00	2.12	2.72	4.15	16.76
3.99	3.99	3.47	3.53	3.44	2.72	4.15	25.30
3.07	2.22	2.55	1.96	2.12	1.00	2.76	15.68
3.99	3.99	3.47	3.53	3.44	2.72	4.15	25.30
3.99	3.99	3.47	3.53	3.44	2.72	2.76	23.91
2.00	3.07	1.00	1.96	1.00	1.66	4.15	14.84
3.99	3.99	3.47	3.53	3.44	4.09	4.15	26.67
5.08	3.99	4.59	3.53	3.44	2.72	4.15	27.51
2.00	2.22	1.78	1.96	2.12	1.00	2.76	13.84
2.00	2.22	2.55	1.00	2.12	2.72	4.15	16.76
3.99	3.99	3.47	3.53	3.44	2.72	4.15	25.30
3.07	2.22	2.55	1.96	2.12	1.00	2.76	15.68
3.99	3.99	3.47	3.53	3.44	2.72	4.15	25.30
3.07	3.07	2.55	2.64	2.72	1.87	1.82	17.73
3.07	3.07	3.47	3.53	3.44	2.72	2.76	22.06
3.07	3.07	2.55	2.64	3.44	2.72	1.56	19.05
3.99	5.29	4.59	4.83	4.70	4.09	1.00	28.49
3.07	3.99	3.47	2.64	4.70	2.72	2.76	23.36

Successive Interval					Total_Y
3.00	3.00	3.00	3.00	4.00	16.00
3.13	2.57	2.93	2.86	3.42	14.91
3.13	2.57	3.78	3.87	2.86	16.21
3.13	2.57	2.93	2.86	4.51	16.00
4.37	3.69	5.08	3.87	3.42	20.43
3.13	3.69	2.93	2.86	4.51	17.13
3.13	2.57	2.93	2.86	3.42	14.91
2.00	1.00	2.00	2.12	4.51	11.63
4.37	3.69	3.78	3.87	4.51	20.22
3.13	2.57	2.00	2.12	4.51	14.34
2.00	1.86	2.00	2.12	4.51	12.49
4.37	3.69	3.78	3.87	4.51	20.22
2.00	1.86	2.00	2.12	2.86	10.84
4.37	3.69	3.78	3.87	2.86	18.57
3.13	1.00	2.00	1.00	2.86	9.99
4.37	3.69	3.78	3.87	2.86	18.57
4.37	3.69	3.78	3.87	4.51	20.22
3.13	2.57	2.00	2.12	4.51	14.34
2.00	1.86	2.00	2.12	4.51	12.49
4.37	3.69	3.78	3.87	4.51	20.22
2.00	1.86	2.00	2.12	3.42	11.40
4.37	3.69	3.78	3.87	4.51	20.22
4.37	3.69	3.78	3.87	3.42	19.13
3.13	1.00	2.00	1.00	4.51	11.65
4.37	3.69	3.78	3.87	4.51	20.22
4.37	3.69	3.78	3.87	4.51	20.22
3.13	2.57	2.00	2.12	4.51	14.34
2.00	1.86	2.00	2.12	4.51	12.49
4.37	3.69	3.78	3.87	4.51	20.22
2.00	1.86	2.00	2.12	4.51	12.49
4.37	3.69	3.78	3.87	4.51	20.22
3.13	2.57	2.93	2.86	2.86	14.35
3.13	2.57	3.78	3.87	2.00	15.35
3.13	2.57	2.93	2.86	3.42	14.91
4.37	3.69	5.08	3.87	2.00	19.01
3.13	3.69	2.93	2.86	2.00	14.62

**Descriptive Statistics**

	Mean	Std. Deviation	N
TOTALX1	12,66	2,313	35
TOTALX2	23,86	5,862	35
TOTALY	16,77	3,549	35

**Correlations**

Control Variables			TOTALX1	TOTALX2	TOTALY
-none- <sup>a</sup>	TOTALX1	Correlation	1,000	,690	,796
		Significance (2-tailed)	.	,000	,000
		df	0	33	33
	TOTALX2	Correlation	,690	1,000	,919
		Significance (2-tailed)	,000	.	,000
		df	33	0	33
	TOTALY	Correlation	,796	,919	1,000
		Significance (2-tailed)	,000	,000	.
		df	33	33	0
TOTALY	TOTALX1	Correlation	1,000	-,173	
		Significance (2-tailed)	.	,328	
		df	0	32	
	TOTALX2	Correlation	-,173	1,000	
		Significance (2-tailed)	,328	.	
		df	32	0	

a. Cells contain zero-order (Pearson) correlations.

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	TOTALX2, TOTALX1 <sup>b</sup>	.	Enter

a. Dependent Variable: TOTALY

b. All requested variables entered.

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,946 <sup>a</sup>	,894	,888	1,189

a. Predictors: (Constant), TOTALX2, TOTALX1

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	382,959	2	191,480	135,525	,000 <sup>b</sup>
	Residual	45,212	32	1,413		
	Total	428,171	34			

a. Dependent Variable: TOTALY

b. Predictors: (Constant), TOTALX2, TOTALX1


**Coefficients<sup>a</sup>**


Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,576	1,136		,507	,616
	TOTALX1	,475	,122	,310	3,899	,000
	TOTALX2	,427	,048	,705	8,878	,000

a. Dependent Variable: TOTALY

## Uji Multikolinearitas

Normal P-P Plot of Regression Standardized Residual





### NPar Tests (Uji Normalitas)

#### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		35
Normal	Mean	.0000000
Parameters <sup>a,b</sup>	Std. Deviation	1.15315479
Most Extreme	Absolute	.128
Differences	Positive	.081
	Negative	-.128
Test Statistic		.128
Asymp. Sig. (2-tailed)		.158 <sup>c</sup>

a. Test distribution is Normal.



- b. Calculated from data.
- c. Lilliefors Significance Correction.

## Regression (Uji Heteroskedastisitas)

**Variables Entered/Removed<sup>a</sup>**

Model	Variables Entered	Variables Removed	Method
1	Total_X2, Total_X1 <sup>b</sup>		Enter

- a. Dependent Variable: Total\_Y
- b. All requested variables entered.

**Model Summary<sup>b</sup>**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.946 <sup>a</sup>	.894	.888	1.189

- a. Predictors: (Constant), Total\_X2, Total\_X1
- b. Dependent Variable: Total\_Y

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	382.959	2	191.480	135.525	.000 <sup>b</sup>
	Residual	45.212	32	1.413		
	Total	428.171	34			

- a. Dependent Variable: Total\_Y
- b. Predictors: (Constant), Total\_X2, Total\_X1

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.576	1.136		.507	.616		
	Total_X1	.475	.122	.310	3.899	.000	.523	1.911
	Total_X2	.427	.048	.705	8.878	.000	.523	1.911

a. Dependent Variable: Total\_Y

## Reliability

Scale: ALL VARIABLES

**Case Processing Summary**

		N	%
Cases	Valid	35	100,0
	Excluded <sup>a</sup>	0	,0
	Total	35	100,0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
,924	16

## Reliability

Scale: ALL VARIABLES

**Case Processing Summary**

		N	%
Cases	Valid	35	100,0
	Excluded <sup>a</sup>	0	,0
	Total	35	100,0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
,465	4

## Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	35	100,0
	Excluded <sup>a</sup>	0	,0
	Total	35	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,734	5

## Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	35	100,0
	Excluded <sup>a</sup>	0	,0
	Total	35	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,887	7

## Reliability

### Scale: ALL VARIABLES

#### Case Processing Summary

		N	%
Cases	Valid	35	100,0
	Excluded <sup>a</sup>	0	,0
	Total	35	100,0

a. Listwise deletion based on all variables in the procedure.

#### Reliability Statistics

Cronbach's Alpha	N of Items
,794	5