

# LAMPIRAN

## HASIL OLAH DATA SPSS Versi 23

### 1. Uji Validitas Variabel Fasilitas (X<sub>1</sub>)

#### Correlations

		X1.1	X1.2	X1.3	X1.4	X1.5	X1.6	X1.7	X1.8	X1.9	X1.10	Total_X 1
X1.1	Pearson											
	Correlation	1	,560**	,466**	,581**	,628**	,498**	,372**	,493**	,524**	,672**	,787**
	Sig. (2-tailed)		,000	,000	,000	,000	,000	,000	,000	,000	,000	,000
N		98	98	98	98	98	98	98	98	98	98	98
X1.2	Pearson											
	Correlation	,560**	1	,395**	,565**	,477**	,463**	,340**	,490**	,454**	,438**	,696**
	Sig. (2-tailed)	,000		,000	,000	,000	,000	,001	,000	,000	,000	,000
N	98	98	98	98	98	98	98	98	98	98	98	98
X1.3	Pearson											
	Correlation	,466**	,395**	1	,308**	,596**	,456**	,523**	,382**	,364**	,472**	,697**
	Sig. (2-tailed)	,000	,000		,002	,000	,000	,000	,000	,000	,000	,000
N	98	98	98	98	98	98	98	98	98	98	98	98
X1.4	Pearson											
	Correlation	,581**	,565**	,308**	1	,539**	,472**	,353**	,454**	,543**	,545**	,724**
	Sig. (2-tailed)	,000	,000	,002		,000	,000	,000	,000	,000	,000	,000
N	98	98	98	98	98	98	98	98	98	98	98	98
X1.5	Pearson											
	Correlation	,628**	,477**	,596**	,539**	1	,634**	,590**	,530**	,455**	,518**	,825**
	Sig. (2-tailed)	,000	,000	,000	,000		,000	,000	,000	,000	,000	,000
N	98	98	98	98	98	98	98	98	98	98	98	98
X1.6	Pearson											
	Correlation	,498**	,463**	,456**	,472**	,634**	1	,408**	,462**	,363**	,454**	,722**
	Sig. (2-tailed)	,000	,000	,000	,000	,000		,000	,000	,000	,000	,000
N	98	98	98	98	98	98	98	98	98	98	98	98
X1.7	Pearson											
	Correlation	,372**	,340**	,523**	,353**	,590**	,408**	1	,425**	,470**	,475**	,694**
	Sig. (2-tailed)	,000	,001	,000	,000	,000	,000		,000	,000	,000	,000
N	98	98	98	98	98	98	98	98	98	98	98	98
X1.8	Pearson											
	Correlation	,493**	,490**	,382**	,454**	,530**	,462**	,425**	1	,521**	,509**	,712**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000		,000	,000	,000

	N	98	98	98	98	98	98	98	98	98	98	98
X1.9	Pearson Correlation	,524**	,454**	,364**	,543**	,455**	,363**	,470**	,521**	1	,464**	,696**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000		,000	,000
	N	98	98	98	98	98	98	98	98	98	98	98
X1.10	Pearson Correlation	,672**	,438**	,472**	,545**	,518**	,454**	,475**	,509**	,464**	1	,752**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000	,000		,000
	N	98	98	98	98	98	98	98	98	98	98	98
Total_X 1	Pearson Correlation	,787**	,696**	,697**	,724**	,825**	,722**	,694**	,712**	,696**	,752**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000	,000	,000	
	N	98	98	98	98	98	98	98	98	98	98	98

\*\* Correlation is significant at the 0.01 level (2-tailed).

## 2. Uji Validitas Variabel Kualitas Pelayanan (X<sub>2</sub>)

### Correlations

		X2.1	X2.2	X2.3	X2.4	X2.5	X2.6	X2.7	X2.8	X2.9	Kualitas Pelayanan (X2)
X2.1	Pearson Correlation	1	,503**	,612**	,443**	,614**	,478**	,512**	,437**	,437**	,720**
	Sig. (2-tailed)		,000	,000	,000	,000	,000	,000	,000	,000	,000
	N	98	98	98	98	98	98	98	98	98	98
X2.2	Pearson Correlation	,503**	1	,380**	,549**	,630**	,485**	,560**	,485**	,485**	,740**
	Sig. (2-tailed)	,000		,000	,000	,000	,000	,000	,000	,000	,000
	N	98	98	98	98	98	98	98	98	98	98
X2.3	Pearson Correlation	,612**	,380**	1	,569**	,588**	,557**	,447**	,560**	,560**	,753**
	Sig. (2-tailed)	,000	,000		,000	,000	,000	,000	,000	,000	,000
	N	98	98	98	98	98	98	98	98	98	98
X2.4	Pearson Correlation	,443**	,549**	,569**	1	,467**	,527**	,454**	,519**	,519**	,725**
	Sig. (2-tailed)	,000	,000	,000		,000	,000	,000	,000	,000	,000
	N	98	98	98	98	98	98	98	98	98	98
X2.5	Pearson Correlation	,614**	,630**	,588**	,467**	1	,591**	,589**	,617**	,617**	,825**
	Sig. (2-tailed)	,000	,000	,000	,000		,000	,000	,000	,000	,000
	N	98	98	98	98	98	98	98	98	98	98
X2.6	Pearson Correlation	,478**	,485**	,557**	,527**	,591**	1	,431**	,663**	,663**	,781**
	Sig. (2-tailed)	,000	,000	,000	,000	,000		,000	,000	,000	,000
	N	98	98	98	98	98	98	98	98	98	98
X2.7	Pearson Correlation	,512**	,560**	,447**	,454**	,589**	,431**	1	,465**	,465**	,722**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000		,000	,000	,000
	N	98	98	98	98	98	98	98	98	98	98
X2.8	Pearson Correlation	,437**	,485**	,560**	,519**	,617**	,663**	,465**	1	1,000**	,829**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000		,000	,000
	N	98	98	98	98	98	98	98	98	98	98
X2.9	Pearson Correlation	,437**	,485**	,560**	,519**	,617**	,663**	,465**	1,000**	1	,829**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000		,000
	N	98	98	98	98	98	98	98	98	98	98
Kualitas Pelayanan (X2)	Pearson Correlation	,720**	,740**	,753**	,725**	,825**	,781**	,722**	,829**	,829**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000	,000	
	N	98	98	98	98	98	98	98	98	98	98

\*\* Correlation is significant at the 0.01 level (2-tailed).

### 3. Uji Validitas Variabel Kepuasan Tamu (Y)

		Correlations					
		Y.1	Y.2	Y.3	Y.4	Y.5	Total_Y
Y.1	Pearson Correlation	1	,676**	,694**	,548**	,585**	,827**
	Sig. (2-tailed)		,000	,000	,000	,000	,000
	N	98	98	98	98	98	98
Y.2	Pearson Correlation	,676**	1	,623**	,770**	,695**	,889**
	Sig. (2-tailed)	,000		,000	,000	,000	,000
	N	98	98	98	98	98	98
Y.3	Pearson Correlation	,694**	,623**	1	,472**	,663**	,817**
	Sig. (2-tailed)	,000	,000		,000	,000	,000
	N	98	98	98	98	98	98
Y.4	Pearson Correlation	,548**	,770**	,472**	1	,719**	,829**
	Sig. (2-tailed)	,000	,000	,000		,000	,000
	N	98	98	98	98	98	98
Y.5	Pearson Correlation	,585**	,695**	,663**	,719**	1	,867**
	Sig. (2-tailed)	,000	,000	,000	,000		,000
	N	98	98	98	98	98	98
Total_Y	Pearson Correlation	,827**	,889**	,817**	,829**	,867**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	
	N	98	98	98	98	98	98

\*\* . Correlation is significant at the 0.01 level (2-tailed).

#### 4. Uji Reliabilitas Variabel Fasilitas ( $X_1$ )

**Case Processing Summary**

		N	%
Cases	Valid	98	100,0
	Excluded <sup>a</sup>	0	,0
	Total	98	100,0

a. Listwise deletion based on all variables in the procedure.

**Reliability Statistics**

Cronbach's Alpha	N of Items
,900	10

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	30,78	40,052	,724	,885
X1.2	30,79	42,500	,627	,892
X1.3	31,26	40,110	,599	,895
X1.4	30,56	41,012	,649	,890
X1.5	30,90	39,556	,772	,882
X1.6	31,02	40,206	,636	,892
X1.7	31,15	40,234	,596	,895
X1.8	30,90	41,742	,640	,891
X1.9	30,80	42,102	,623	,892
X1.10	30,70	41,571	,692	,888

#### 5. Uji Reliabilitas Variabel Kualitas Pelayanan ( $X_2$ )

**Case Processing Summary**

		N	%
Cases	Valid	98	100,0
	Excluded <sup>a</sup>	0	,0
	Total	98	100,0

a. Listwise deletion based on all variables in the procedure.

### Reliability Statistics

Cronbach's Alpha	N of Items
,913	9

### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2.1	28,32	31,806	,647	,906
X2.2	28,67	30,511	,656	,906
X2.3	28,35	31,260	,684	,904
X2.4	28,40	31,520	,650	,906
X2.5	28,39	30,281	,771	,898
X2.6	28,15	30,090	,709	,902
X2.7	28,58	30,225	,627	,909
X2.8	28,29	30,021	,775	,897
X2.9	28,29	30,021	,775	,897

### 6. Uji Reliabilitas Variabel Kepuasan Tamu (Y)

#### Case Processing Summary

		N	%
Cases	Valid	98	100,0
	Excluded <sup>a</sup>	0	,0
	Total	98	100,0

a. Listwise deletion based on all variables in the procedure.

### Reliability Statistics

Cronbach's Alpha	N of Items
,901	5

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y.1	13,68	11,847	,727	,884
Y.2	13,87	11,209	,819	,864
Y.3	14,03	11,741	,708	,889
Y.4	13,83	11,753	,728	,884
Y.5	13,73	11,331	,783	,872

7. Uji Normalitas

**One-Sample Kolmogorov-Smirnov Test**

		Unstandardized Residual
N		98
Normal Parameters <sup>a,b</sup>	Mean	,0000000
	Std. Deviation	2,28891661
Most Extreme Differences	Absolute	,096
	Positive	,033
	Negative	-,096
Test Statistic		,096
Asymp. Sig. (2-tailed)		,27 <sup>c</sup>

- a. Test distribution is Normal.
- b. Calculated from data.
- c. Lilliefors Significance Correction.

8. Uji Multikolinearitas

**Coefficients<sup>a</sup>**

Model	Unstandardized Coefficients		Collinearity Statistics	
	B	Std. Error	Tolerance	VIF
1 (Constant)	-1,339	1,269		
Fasilitas (X1)	,210	,056	,351	2,846
Kualitas Pelayanan (X2)	,404	,073	,351	2,846

- a. Dependent Variable: Kepuasan Tamu (Y)

## 9. Analisis Linear Berganda

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1,339	1,269		-1,055	,294
	Fasilitas (X1)	,210	,056	,353	3,728	,000
	Kualitas Pelayanan (X2)	,404	,073	,527	5,575	,000

a. Dependent Variable: Kepuasan Tamu (Y)

## 10. Koefisien Korelasi

**Correlations**

		Fasilitas (X1)	Kualitas Pelayanan (X2)	Kepuasan Tamu (Y)
Fasilitas (X1)	Pearson Correlation	1	,805**	,777**
	Sig. (2-tailed)		,000	,000
	N	98	98	98
Kualitas Pelayanan (X2)	Pearson Correlation	,805**	1	,811**
	Sig. (2-tailed)	,000		,000
	N	98	98	98
Kepuasan Tamu (Y)	Pearson Correlation	,777**	,811**	1
	Sig. (2-tailed)	,000	,000	
	N	98	98	98

\*\* . Correlation is significant at the 0.01 level (2-tailed).

## 11. Koefisien Determinasi

**Model Summary**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,838 <sup>a</sup>	,702	,695	2,319

a. Predictors: (Constant), Kualitas Pelayanan (X2), Fasilitas (X1)



## 12. Uji t Parsial

**Coefficients<sup>a</sup>**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1,339	1,269		-1,055	,294
	Fasilitas (X1)	,210	,056	,353	3,728	,000
	Kualitas Pelayanan (X2)	,404	,073	,527	5,575	,000

a. Dependent Variable: Kepuasan Tamu (Y)

## 13. Uji F Stimultan

**ANOVA<sup>a</sup>**

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1201,044	2	600,522	111,653	,000 <sup>b</sup>
	Residual	510,956	95	5,378		
	Total	1712,000	97			

a. Dependent Variable: Kepuasan Tamu (Y)

b. Predictors: (Constant), Kualitas Pelayanan (X2), Fasilitas (X1)

14. Daftar t tabel

**Titik Persentase Distribusi t (df = 81 –120)**

df \ Pr	0.25	0.10	0.05	0.025	0.01	0.005	0.001
	0.50	0.20	0.10	0.050	0.02	0.010	0.002
81	0.67753	1.29209	1.66388	1.98969	2.37327	2.63790	3.19392
82	0.67749	1.29196	1.66365	1.98932	2.37269	2.63712	3.19262
83	0.67746	1.29183	1.66342	1.98896	2.37212	2.63637	3.19135
84	0.67742	1.29171	1.66320	1.98861	2.37156	2.63563	3.19011
85	0.67739	1.29159	1.66298	1.98827	2.37102	2.63491	3.18890
86	0.67735	1.29147	1.66277	1.98793	2.37049	2.63421	3.18772
87	0.67732	1.29136	1.66256	1.98761	2.36998	2.63353	3.18657
88	0.67729	1.29125	1.66235	1.98729	2.36947	2.63286	3.18544
89	0.67726	1.29114	1.66216	1.98698	2.36898	2.63220	3.18434
90	0.67723	1.29103	1.66196	1.98667	2.36850	2.63157	3.18327
91	0.67720	1.29092	1.66177	1.98638	2.36803	2.63094	3.18222
92	0.67717	1.29082	1.66159	1.98609	2.36757	2.63033	3.18119
93	0.67714	1.29072	1.66140	1.98580	2.36712	2.62973	3.18019
94	0.67711	1.29062	1.66123	1.98552	2.36667	2.62915	3.17921
95	0.67708	1.29053	1.66105	1.98525	2.36624	2.62858	3.17825
96	0.67705	1.29043	1.66088	1.98498	2.36582	2.62802	3.17731
97	0.67703	1.29034	1.66071	1.98472	2.36541	2.62747	3.17639
98	0.67700	1.29025	1.66055	1.98447	2.36500	2.62693	3.17549
99	0.67698	1.29016	1.66039	1.98422	2.36461	2.62641	3.17460
100	0.67695	1.29007	1.66023	1.98397	2.36422	2.62589	3.17374
101	0.67693	1.28999	1.66008	1.98373	2.36384	2.62539	3.17289
102	0.67690	1.28991	1.65993	1.98350	2.36346	2.62489	3.17206
103	0.67688	1.28982	1.65978	1.98326	2.36310	2.62441	3.17125
104	0.67686	1.28974	1.65964	1.98304	2.36274	2.62393	3.17045
105	0.67683	1.28967	1.65950	1.98282	2.36239	2.62347	3.16967
106	0.67681	1.28959	1.65936	1.98260	2.36204	2.62301	3.16890
107	0.67679	1.28951	1.65922	1.98238	2.36170	2.62256	3.16815
108	0.67677	1.28944	1.65909	1.98217	2.36137	2.62212	3.16741
109	0.67675	1.28937	1.65895	1.98197	2.36105	2.62169	3.16669
110	0.67673	1.28930	1.65882	1.98177	2.36073	2.62126	3.16598
111	0.67671	1.28922	1.65870	1.98157	2.36041	2.62085	3.16528
112	0.67669	1.28916	1.65857	1.98137	2.36010	2.62044	3.16460
113	0.67667	1.28909	1.65845	1.98118	2.35980	2.62004	3.16392
114	0.67665	1.28902	1.65833	1.98099	2.35950	2.61964	3.16326
115	0.67663	1.28896	1.65821	1.98081	2.35921	2.61926	3.16262
116	0.67661	1.28889	1.65810	1.98063	2.35892	2.61888	3.16198
117	0.67659	1.28883	1.65798	1.98045	2.35864	2.61850	3.16135
118	0.67657	1.28877	1.65787	1.98027	2.35837	2.61814	3.16074
119	0.67656	1.28871	1.65776	1.98010	2.35809	2.61778	3.16013
120	0.67654	1.28865	1.65765	1.97993	2.35782	2.61742	3.15954

15. Daftar f tabel

**Titik Persentase Distribusi F untuk Probabilita = 0,05**

df untuk penyebut (N2)	df untuk pembilang (N1)														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
91	3.95	3.10	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.94	1.90	1.86	1.83	1.80	1.78
92	3.94	3.10	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.94	1.89	1.86	1.83	1.80	1.78
93	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.83	1.80	1.78
94	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.83	1.80	1.77
95	3.94	3.09	2.70	2.47	2.31	2.20	2.11	2.04	1.98	1.93	1.89	1.86	1.82	1.80	1.77
96	3.94	3.09	2.70	2.47	2.31	2.19	2.11	2.04	1.98	1.93	1.89	1.85	1.82	1.80	1.77
97	3.94	3.09	2.70	2.47	2.31	2.19	2.11	2.04	1.98	1.93	1.89	1.85	1.82	1.80	1.77
98	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.98	1.93	1.89	1.85	1.82	1.79	1.77
99	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.98	1.93	1.89	1.85	1.82	1.79	1.77
100	3.94	3.09	2.70	2.46	2.31	2.19	2.10	2.03	1.97	1.93	1.89	1.85	1.82	1.79	1.77
101	3.94	3.09	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.93	1.88	1.85	1.82	1.79	1.77
102	3.93	3.09	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.77
103	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.76
104	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.82	1.79	1.76
105	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.85	1.81	1.79	1.76
106	3.93	3.08	2.69	2.46	2.30	2.19	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.79	1.76
107	3.93	3.08	2.69	2.46	2.30	2.18	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.79	1.76
108	3.93	3.08	2.69	2.46	2.30	2.18	2.10	2.03	1.97	1.92	1.88	1.84	1.81	1.78	1.76
109	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
110	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
111	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.97	1.92	1.88	1.84	1.81	1.78	1.76
112	3.93	3.08	2.69	2.45	2.30	2.18	2.09	2.02	1.96	1.92	1.88	1.84	1.81	1.78	1.76
113	3.93	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.92	1.87	1.84	1.81	1.78	1.76
114	3.92	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
115	3.92	3.08	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
116	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.81	1.78	1.75
117	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.80	1.78	1.75
118	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.84	1.80	1.78	1.75
119	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.78	1.75
121	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.77	1.75
122	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83	1.80	1.77	1.75
123	3.92	3.07	2.68	2.45	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
124	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
125	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.96	1.91	1.87	1.83	1.80	1.77	1.75
126	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.87	1.83	1.80	1.77	1.75
127	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.86	1.83	1.80	1.77	1.75
128	3.92	3.07	2.68	2.44	2.29	2.17	2.08	2.01	1.95	1.91	1.86	1.83	1.80	1.77	1.75
129	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
130	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
131	3.91	3.07	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.80	1.77	1.74
132	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
133	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
134	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.83	1.79	1.77	1.74
135	3.91	3.06	2.67	2.44	2.28	2.17	2.08	2.01	1.95	1.90	1.86	1.82	1.79	1.77	1.74